L Number	Hits	Search Text	DB	Time stamp
1	(7)	slam$dunk.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 17:39
2	(2)	gopal-ganesan$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 17:39
3	(2)	ananthanarayanan-kannan$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 17:40
4	(8)	rengarajan-tiru$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 17:40
5	9874	((replica$4 or duplicat$4 or copy$4 or mirror$) near6 (message or email or e-mail or electronic adj mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 17:45
6	140796	(transmit$ or send$) near4 (message or email or e-mail or mail or electronic adj mail)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 17:46
7	606507	(two or multiple or plural$ or dual of duplicate or parallel) near5 (path or link or route or channel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 17:47
8	2335	((transmit$ or send$) near4 (message or email or e-mail or mail or electronic adj mail)) with ((two or multiple or plural$ or dual of duplicate or parallel) near5 (path or link or route or channel))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 17:49
11	53	(((replica$4 or duplicat$4 or copy$4 or mirror$) near6 (message or email or e-mail or electronic adj mail))) same (((transmit$ or send$) near4 (message or email or e-mail or mail or electronic adj mail)) with ((two or multiple or plural$ or dual of duplicate or parallel) near5 (path or link or route or channel)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 17:49
14	38	((((replica$4 or duplicat$4 or copy$4 or mirror$) near6 (message or email or e-mail or electronic adj mail))) same (((transmit$ or send$) near4 (message or email or e-mail or mail or electronic adj mail)) with ((two or multiple or plural$ or dual of duplicate or parallel) near5 (path or link or route or channel)))) and (@ad<20000414 or @prad<20000414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 17:50
18	(25)	((((replica$4 or duplicat$4 or copy$4 or mirror$) near6 (message or email or e-mail or electronic adj mail))) same (((transmit$ or send$) near4 (message or email or e-mail or mail or electronic adj mail)) with ((two or multiple or plural$ or dual of duplicate or parallel) near5 (path or link or route or channel)))) and (@ad<20000414 or @prad<20000414) and (database or archive or store)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 17:51

L Number	Hits	Search Text	DB	Time stamp
-	664	(track$ near message) and (@prad<20000414 or @ad<20000414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 13:48
-	3	(track$ near message) and (@prad<20000414 or @ad<20000414) and ((router or switch) with (database or archive or repository)) and (web adj server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 14:09
-	22	(track$ with message) and (@prad<20000414 or @ad<20000414) and ((router or switch) with (database or archive or repository)) and (web adj server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 15:23
-	302	(@prad<20000414 or @ad<20000414) and ((router or switch) with (database or archive or repository)) and (web adj server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 15:26
-	91	(@prad<20000414 or @ad<20000414) and ((router or switch) with (database or archive or repository)) and (web adj server) and ((monitor$ or track$) with (message or email or e-mail or (electronic adj mail)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 15:28
-	2	(router or switch) same (web adj server) same (relational adj database) and (@prad<20000414 or @ad<20000414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 11:57
-	139	(router or switch) same (web adj server) same database and (@prad<20000414 or @ad<20000414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 11:57
-	73	(router or switch) with (web adj server) same database and (@prad<20000414 or @ad<20000414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 11:57
-	35	(router or switch) with (web adj server) with database and (@prad<20000414 or @ad<20000414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 16:06
-	3981	(router or switch) with (archive or database or repository) and (@prad<20000414 or @ad<20000414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 16:06
-	604	(router or switch) near (archive or database or repository) and (@prad<20000414 or @ad<20000414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 16:15
-	173	(router) near (archive or database or repository) and (@prad<20000414 or @ad<20000414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 16:07
-	1	(router) near (archive) and (@prad<20000414 or @ad<20000414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 16:07
-	173	(router) near (archive or database) and (@prad<20000414 or @ad<20000414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 16:14

#	Query	Databases	Date
14	(router or switch) near (archive or database or repository) and (@prad<20000414 or @ad<20000414) and (709/201,206.ccls. or 705/40.ccls. or 707/104.1.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 16:15
31	((transmit$ or rout$ or send$) near message) same ((manager or controller) with (database or stor$)) and (billing or cost) and (@prad<20000414 or @ad<20000414) and (709/201,206.ccls. or 705/40.ccls. or 707/104.1.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 11:18
2	((transmit$ or rout$ or send$) near message) same ((router or switch) with web) and (billing or cost) and (relational adj database) and (@prad<20000414 or @ad<20000414) and (709/201,206.ccls. or 705/40.ccls. or 707/104.1.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 11:22
3	((transmit$ or rout$ or send$) near message) and ((router or switch) with web) and (billing same (relational adj database)) and (@prad<20000414 or @ad<20000414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 11:24
265	((transmit$ or rout$ or send$) near message) and ((router or switch) same (web adj server)) and (@prad<20000414 or @ad<20000414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 11:27
151	((transmit$ or rout$ or send$) near message) and ((router or switch) with (web adj server)) and (@prad<20000414 or @ad<20000414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 13:09
17	((transmit$ or rout$ or send$) near message) and ((router or switch) with (web adj server)) and (@prad<20000414 or @ad<20000414) and (709/201,206.ccls. or 705/40.ccls. or 707/104.1.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 11:30
32	((transmit$ or rout$ or send$) near message) and ((router or switch) with (web adj server)) and (relational adj database) and (@prad<20000414 or @ad<20000414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 11:33
2	((web adj server) with stor$4 with message) and (relational adj database) and (@prad<20000414 or @ad<20000414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 12:58
95	(expand$) same (relational adj database) and (@prad<20000414 or @ad<20000414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 12:59
37	(expand$) with (relational adj database) and (@prad<20000414 or @ad<20000414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 12:59
15	((transmit$ or rout$ or send$) near message) and ((router or switch) same (billing adj database)) and (@prad<20000414 or @ad<20000414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 13:36